

Exiv2 - Bug #506

Problem setting localedir on Windows

27 Feb 2007 18:32 - Andreas Huggel

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Robin Mills	% Done:	100%
Category:	miscellaneous	Estimated time:	1.00 hour
Target version:	0.26		
Description			
<p>The current: bindtextdomain(EXV_PACKAGE, EXV_LOCALEDIR); is too naive, since in windows one knows the files location only during installation.</p> <p>One solution would be to check the environment variable EXIV2_LOCALEDIR. Another possible solution is to add an Exiv2::setLocale() function and let the main program worry about it.</p> <p>Reported by Udi Fuchs.</p>			

History

#1 - 23 Aug 2015 15:51 - Robin Mills

- Target version set to 53

#2 - 28 Mar 2016 17:55 - Robin Mills

- Status changed from New to Assigned

- Assignee set to Robin Mills

This issue has been in the database for 9 years and nobody else has requested progress with this matter. So, unless you engage to persuade me to keep this matter alive, it will be closed on April 30 as "no longer needed/wanted".

#3 - 29 Apr 2016 22:45 - Robin Mills

- Status changed from Assigned to Closed

- % Done changed from 0 to 100

- Estimated time set to 1.00

#4 - 29 Apr 2016 23:03 - Robin Mills

- Target version changed from 53 to 0.26