

Exiv2 - Feature #1047

Add new sample applications exifdata and exivvalue

25 Mar 2015 19:52 - Robin Mills

Status:	Closed	Start date:	25 Mar 2015
Priority:	Normal	Due date:	
Assignee:	Robin Mills	% Done:	100%
Category:	samples	Estimated time:	0.00 hour
Target version:	0.25		

Description

We've had numerous forum support requests recently from Mikayel in Armenia. His application requires exif metadata to be formatted for use by an external application. I've written a sample exifdata which "dumps" the exif metadata in one of four formats: json, csv, xml and wolfram. The json output is a simple object for illustration purposes. The application exiv2json provides recursive json object output.

Mikayel has also claimed that the expression:

```
std::cout << exifData["];
```

is crashing his application and is not caught by the structured exception handler. I've added samples/exifvalue to enable him to execute this and provide evidence of the issue.

Submitted: r3638 Successfully build and tested: <http://exiv2.dyndns.org:8080/job/Exiv2-trunk/1889/>

Associated revisions

Revision 4164 - 03 Jan 2016 12:36 - Robin Mills

#1047 Rollback r4163 and try again. r4163 broke MSVC build.

History

#1 - 08 May 2015 16:12 - Robin Mills

- % Done changed from 0 to 100

#2 - 21 Jun 2015 16:39 - Andreas Huggel

- Status changed from Resolved to Closed