

Exiv2 - Bug #715

-funsigned-char breaks build with Sun Studio

23 Jul 2010 17:15 - Pavel Heimlich

| | | | |
|---|-------------|------------------------|--------------------|
| Status: | Closed | Start date: | 23 Jul 2010 |
| Priority: | Normal | Due date: | |
| Assignee: | Robin Mills | % Done: | 100% |
| Category: | not-a-bug | Estimated time: | 0.00 hour |
| Target version: | 0.26 | | |
| Description | | | |
| exiv2 0.20 fails to build with ... gmake ¹ : Entering directory `/export/home/test/packages/BUILD/exiv2-0.20/i386/exiv2-0.20/xmpsdk/src' /usr/bin/CC -I/usr/include/stdcxx4/ansi -I/usr/include/stdcxx4 -library=no%Cstd -library=Crun -features=anachronisms,except,rtti,export,extensions,nestedaccess,templife,implrefstatic -instances=global -template=geninlinefuncs -s -xdebugformat=dwarf -xlang=c99 -xalias_level=compatible -xustr=ascii_utf16_ushort -Qoption ccfe -features=gcc -Qoption ccfe -features=zla -Qoption ccfe ++boolflag:sunwcch=false -mt -xF=%none -xbuiltin=%all -xinline=%auto -xprefetch=auto -xprefetch_auto_type=indirect_array_access -xprefetch_level=3 -xalias_level=compatible -KPIC -DPIC -xipo=0 -xO3 -xregs=no%frameptr -xjobs=2 -xrestrict=%all -xthreadvar=%all -z combreloc -z redlocsym -z nodefaultlib -z ignore -z now -z rescan -z absexec -xldscope=symbolic -xlibmil -s -xtarget=pentium4 -m32 -xarch=sse2 -xchip=pentium4 -xcache=8/64/4:256/128/8 -lc -lm -ldl -lpthread -lposix4 -lrt -mt -Y P,/opt/kde4/lib -i -L/opt/kde4/lib -R/opt/kde4/lib -L/usr/lib -R/usr/lib -Bdynamic -lstdcxx4 -lCrun -lc -lm -library=no%Cstd -xldscope=hidden -I. -D_REENTRANT -DNDEBUG -D__EXTENSIONS__ -D_LARGEFILE_SOURCE -D_FILE_OFFSET_BITS=64 -D_POSIX_PTHREAD_SEMANTICS -DSOLARIS -DSOLARIS10 -DNO_DEBUG -D_UNICODE -DUNICODE -D_RWSTD_REENTRANT -D_XOPEN_SOURCE=500 -D_XPG5 -I/usr/include/stdcxx4/ansi -I/usr/include/stdcxx4 -I/opt/kde4/include -DEXV_LOCALEDIR="/opt/kde4/share/locale" -I../include -funsigned-char -DNDEBUG=1 -DEXV_HAVE_STDINT_H=1 -c XML_Node.cpp -KPIC -DPIC -o .libs/XML_Node.o CC: Warning: Option -funsigned-char passed to ld, if ld is invoked, ignored otherwise CC: Warning: Option -funsigned-char passed to ld, if ld is invoked, ignored otherwise ld: fatal: auxiliary filter option (-f, --auxiliary) is only available when building a shared object ld: fatal: file M: stat failed: No such file or directory this is because sun studio uses -xchar=unsigned instead of -funsigned-char xmpsdk/src/Makefile should be modified to use one of the flags based on compiler, but I wasn't able to come up with a proper patch | | | |
| Related issues: | | | |
| Related to Exiv2 - Bug #714: problem compiling with Sun Studio - visibility | | Closed | 23 Jul 2010 |

History

#1 - 23 Jul 2010 17:31 - Pavel Heimlich

ld: fatal: file M: stat failed: No such file or directory

this one is because -MM (in config/config.mk.in) is not present on Sun Studio. The equivalent there is '-xM1'

#2 - 25 Jul 2010 09:08 - Andreas Huggel

A quick workaround for the problem with -MM is to disable dependency tracking: add a --disable-dependency-tracking option to the ./configure call.

#3 - 25 Jul 2010 09:17 - Andreas Huggel

For the issue with -funsigned-char I prefer to fix the (Adobe XMP-SDK) code: change all char types to unsigned char, if that's feasible.

#4 - 22 Aug 2015 15:45 - Robin Mills

- Category set to not-a-bug

- Status changed from New to Closed

- Assignee set to Robin Mills

- Target version set to 0.26

This is an unsupported compiler. Please see the comments in [#710](#) concerning compiler and platform support.

#5 - 22 Aug 2015 16:10 - Robin Mills

- % Done changed from 0 to 100